Motors PM Checklist

Actions and activities recommended in this guide should only be attempted by trained and certified personnel. If such personnel are not available, the actions recommended here should not be initiated. Frequencies indicated are based on a comparison of intervals from various industry sources and are provided solely for planning purposes.

	- 10	based on a comparison of intervals from various industry source				
Task ID	Task Name	Task Text		Daily Weekly Conthly	Quarterly Semi-Annually Annua	ally
MTR-001	Motor Use/Sequencing	Turn off/sequence unnecessary motors	Daily	X	0%	
MTR-002	Visual Inspection	Observe and record any anomalies regarding its physical condition.	Daily	X	CC	
MTR-003	Noise Check	Assess the level and type of noise the motor is making.	Daily	OX//	7	
MTR-004	Record Data	Record equipment data.	Weekly	XXV		
MTR-005	Bearing Scope/Scanner Check	Check bearings using a stethoscope or infrared scanner (or camera, if appropriate).	Weekly	160		
MTR-006	view additional	PM Checklists -	Øal V	X		
MTR-007			V 'eekly	X		
MTR-008		Maintenance for Major	Monthly	X		
MTR-009	Equipment,	HVAC, and Building	Monthly	X		
MTR-010	Maintenance	e on our website.	Monu ly	Х		
MTR-011			Monthly	Х		
MTR-012		127	Monthly	X		
MTR-013		We con	Monthly	X		
MTR-014		1:54 170	Monthly	Х		
MTR-015		412, 4,	Nonthly	Х		
MTR-016		6000	1 ion hly	Х		
MTR-017		22	Monthly	Х		
MTR-018		60 1111 65.	Monthly	Х		
MTR-019	(11 -00	Monthly	Х		
MTR-020	(160 70	Quarterly		Х	
MTR-021	(7)	2/0	Quarterly		Х	
MTR-022	11	CC XV	Quarterly		Х	
MTR-023	$\sim 10^{-1}$	22 .26	Quarterly		Х	
MTR-024), N	10 7/72	Quarterly		Х	
MTR-025	~ ~ ()		Quarterly		Х	
MTR-026	0111	1/12	Quarterly		Х	
MTR-027	OV	11.	Annually			Χ
MTR-028	1	As.	Annually			Χ
MTR-029	N.		Annually			Χ
MTR-030	'W.		Annually			Χ
MTR-031	4		Annually			Χ
MTR-032			Annually			Χ
MTR-033			Annually			Χ
MTR-034			Annually			Χ
MTR-035			Annually			X